L Number	Hits	Search Text	DB	Time stamp		
-	18	automat\$4 near5 text\$1 near5 classif\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:55		
-	1	(automat\$4 near5 text\$1 near5 classif\$5) and (text\$1 same keyword\$1 same segment)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:32		
_	5	(automat\$4 near5 text\$1 near5 classif\$5) and (text\$1 same keyword\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:41		
-	3243	identify\$4 near5 text\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:42		
-	321	<pre>(identify\$4 near5 text\$1) same (segment\$1 or section\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:43		
_	177	<pre>(identify\$4 near5 text\$1) same (segment\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:45		
-	0	<pre>((identify\$4 near5 text\$1) same (segment\$1)) same (classif\$5 same keyword\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:44		
-	2	((identify\$4 near5 text\$1) same (segment\$1)) same (keyword\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:45		
-	0	<pre>((identify\$4 near5 text\$1) same (segment\$1)) and (classif\$5 same keyword\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:46		
_	20	((identify\$4 near5 text\$1) same (segment\$1)) and (keyword\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 16:11		
-	0	(identify\$4 near5 text\$1) and vedio	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:53		
_	844	(identify\$4 near5 text\$1) and (vedio or audio)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:54		
-	0	(identify\$4 near5 text\$1) and (vedio)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:54		
-	844	(identify\$4 near5 text\$1) and (audio)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/12 15:55		
L	l		IBM_TDB	<u> </u>		

Search History 3/6/03 4:49:22 PM

-	685	text\$1 near5 classif\$5	USPAT;	2002/09/12
			US-PGPUB;	15:55
			EPO; JPO;	:
1		`	DERWENT;	
			IBM_TDB	
-	22	,	USPAT;	2002/09/12
		segment\$1)	US-PGPUB;	16:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	21	story adj2 segmentation	USPAT;	2003/02/27
			US-PGPUB;	10:21
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
_	5	1 ((USPAT;	2003/02/27
		near5 keyword\$1)	US-PGPUB;	09:21
	i		EPO; JPO;]
	ŀ		DERWENT;	
			IBM_TDB	
-	3483	carnegie mellon	USPAT;	2003/02/27
			US-PGPUB;	10:25
			EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	[
-	32	(carnegie mellon) and story and keyword\$1	USPAT;	2003/02/27
	1		US-PGPUB;	10:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	digital near2 vedio near2 library	USPAT;	2003/02/27
			US-PGPUB;	10:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	digital\$1 near2 vedio near2 librar\$3	USPAT;	2003/02/27
			US-PGPUB;	10:36
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	0	digital\$1 near5 vedio near5 librar\$3	USPAT;	2003/02/27
			US-PGPUB;	10:37
			EPO; JPO;	!
		·	DERWENT;	
	1 4 4 4 4	32 32 30 40	IBM_TDB	
-	1412	digital\$1 near5 librar\$3	USPAT;	2003/02/27
1			US-PGPUB;	10:37
]		EPO; JPO;	
1			DERWENT;	
] _	3.00	(digital 01 manufi 141 man 40)	IBM_TDB	0000/05/55
-	263	1 , - 3 ,	USPAT;	2003/02/27
		near2 imag\$3)	US-PGPUB;	10:38
1			EPO; JPO;	
			DERWENT;	
l _	100	//digital61 magus 142	IBM_TDB	0000 /05 /5-
-	106		USPAT;	2003/02/27
ļ		near2 imag\$3)) and (audio near3 data)	US-PGPUB;	10:39
			EPO; JPO;	
			DERWENT;	
_	102	//digitals1 noams libraries) and failed	IBM_TDB	2002/02/27
İ	102	((digital\$1 near5 librar\$3) and (video near2 imag\$3)) and (audio near2 data)	USPAT;	2003/02/27
		nearz imayas)) and (addio nearz data)	US-PGPUB;	15:24
			EPO; JPO;	
]		DERWENT;	
	o	455.414.ccls.	IBM_TDB	
	ا ۲	100.414.0015.	USPAT;	2003/02/27
			US-PGPUB;	15:25
			EPO; JPO;	
]		DERWENT;	
	L		IBM TDB	

Search History 3/6/03 4:49:22 PM Page 2

	933	455/414.ccls.	USPAT;	2003/02/27
	,		US-PGPUB;	15:25
			EPO; JPO;	
			DERWENT;	
	1	455/414.ccls. and (router\$4 near5	IBM_TDB USPAT;	2003/02/27
-	1	notifi\$4)	USPAI; US-PGPUB;	15:26
		10011134)	EPO; JPO;	13.26
			DERWENT;	
	ļ		IBM TDB	
_	651	455/466.ccls.	USPAT;	2003/02/27
	1		US-PGPUB;	15:26
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	"26" and (router\$4 near5 notifi\$4)	USPĀT;	2003/02/27
			US-PGPUB;	15:26
			EPO; JPO;	
			DERWENT;	
		.= <u>-</u> /	IBM_TDB	
-	0	455/466.ccls. and (router\$4 near5	USPAT;	2003/02/27
]	notifi\$4)	US-PGPUB;	15:26
			EPO; JPO;	
			DERWENT; IBM TDB	
1_	1	455/466.ccls. and (router\$4 near5	USPAT;	2003/02/27
		event\$4)	US-PGPUB;	15:27
			EPO; JPO;	13.27
			DERWENT;	
			IBM TDB	
-	35498	358/.ccls.	USPAT;	2003/02/27
			US-PGPUB;	15:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6399	(358/400-405, 407-408, 425, 434, 435-442,	USPAT;	2003/02/27
	ļ	444.ccls.) and ((relay\$4 or transmit\$5 or	US-PGPUB;	15:34
1		distribut\$5) near5 (messag\$4 or event\$4	EPO; JPO;	
		or notif\$5))	DERWENT;	
	1004	370/401.ccls.	IBM_TDB	2002/02/07
-	1884	3/0/401.0018.	USPAT;	2003/02/27 15:34
			US-PGPUB; EPO; JPO;	15:34
			DERWENT;	[
			IBM TDB	
-	36	370/401.ccls. and (event\$1 near5	USPAT;	2003/02/27
	1	router\$1)	US-PGPUB;	15:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9		USPAT;	2003/02/27
		435-442, 444.ccls.) and ((relay\$4 or	US-PGPUB;	15:38
		transmit\$5 or distribut\$5) near5	EPO; JPO;	
	1	(messag\$4 or event\$4 or notif\$5))) and	DERWENT;	
		(registrat\$5 near5 subset\$4)	IBM_TDB	0000 /00 /07
-	7	((= = = ,	USPAT;	2003/02/27
		435-442, 444.ccls.) and ((relay\$4 or transmit\$5 or distribut\$5) near5	US-PGPUB;	15:38
		(messag\$4 or event\$4 or notif\$5))) and	EPO; JPO; DERWENT;	
		(rul\$4 near5 subset\$4)	IBM TDB	
-	292507	358/400-405, 407-408, 425, 434, 435-442,	USPAT;	2003/02/27
1		444.ccls.	US-PGPUB;	16:01
			EPO; JPO;	
}			DERWENT;	
			IBM_TDB	
-	987	(358/400-405, 407-408, 425, 434, 435-442,	USPĀT;	2003/02/27
		444.ccls.) and (notif\$5 near5 messag\$4)	US-PGPUB;	15:59
			EPO; JPO;	
}			DERWENT;	
			IBM TDB	

_	6733	(358/400-405, 407-408, 425, 434, 435-442, 444.ccls.) and (notif\$5 or transmit\$4 or	USPAT; US-PGPUB;	2003/02/27 15:45
		forward\$4) near5 (messag\$4 or e-mail or event\$1)	EPO; JPO; DERWENT;	
		//350/400 405 407 400 405 434	IBM_TDB	2002/02/07
-	0	((358/400-405, 407-408, 425, 434,	USPAT;	2003/02/27
		435-442, 444.ccls.) and (notif\$5 or transmit\$4 or forward\$4) near5 (messag\$4	US-PGPUB; EPO; JPO;	15:55
		or e-mail or event\$1)) and ((rout\$4 or	DERWENT;	· .
		relay\$4) near5 rule\$4 near5 regist\$5)	IBM TDB	1
-	1662	((358/400-405, 407-408, 425, 434,	USPAT;	2003/02/27
1		435-442, 444.ccls.) and (notif\$5 or	US-PGPUB;	15:48
	•	transmit\$4 or forward\$4) near5 (messag\$4	EPO; JPO;	
		or e-mail or event\$1)) and ((rout\$4 or	DERWENT;	1
	1	relay\$4) near5 messag\$4)	IBM_TDB	0007/00/07
-	0	(((358/400-405, 407-408, 425, 434,	USPAT;	2003/02/27
		435-442, 444.ccls.) and (notif\$5 or transmit\$4 or forward\$4) near5 (messag\$4	US-PGPUB; EPO; JPO;	15:49
		or e-mail or event\$1)) and ((rout\$4 or	DERWENT;	
		relay\$4) near5 messag\$4)) and (subset\$1	IBM TDB	
		near5 event\$4 near5 messag\$4)		
-	487	(((358/400-405, 407-408, 425, 434,	USPAT;	2003/02/27
		435-442, 444.ccls.) and (notif\$5 or	US-PGPUB;	15:50
		transmit\$4 or forward\$4) near5 (messag\$4	EPO; JPO;	
		or e-mail or event\$1)) and ((rout\$4 or	DERWENT;	
		relay\$4) near5 messag\$4)) and (event\$4 near5 messag\$4)	IBM_TDB	
_	23		USPAT;	2003/02/27
		435-442, 444.ccls.) and (notif\$5 or	US-PGPUB;	15:51
		transmit\$4 or forward\$4) near5 (messag\$4	EPO; JPO;	
l		or e-mail or event\$1)) and ((rout\$4 or	DERWENT;	1
		relay\$4) near5 messag\$4)) and (event\$4	IBM_TDB	
		near5 messag\$4)) and (forward\$4 near5		
_	4	event near5 messag\$4)	IICDAM.	2002/02/27
-	4	((358/400-405, 407-408, 425, 434, 435-442, 444.ccls.) and (notif\$5 or	USPAT; US-PGPUB;	2003/02/27 15:56
		transmit\$4 or forward\$4) near5 (messag\$4	EPO; JPO;	15.56
		or e-mail or event\$1)) and (router\$5	DERWENT;	
		near5 event\$1 near5 messag\$4)	IBM TDB	
-	4	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/02/27
1		435-442, 444.ccls.) and (notif\$5 or	US-PGPUB;	15:58
1		transmit\$4 or forward\$4) near5 (messag\$4	EPO; JPO;	
		or e-mail or event\$1)) and (router\$1 near5 event\$1 near5 messag\$4)	DERWENT; IBM TDB	
-	14	, <u>, , , , , , , , , , , , , , , , , , </u>	USPAT;	2003/02/27
		435-442, 444.ccls.) and (notif\$5 or	US-PGPUB;	15:58
		transmit\$4 or forward\$4) near5 (messag\$4	EPO; JPO;	
		or e-mail or event\$1)) and (relay\$4	DERWENT;	
	_	near5 event\$1 near5 messag\$4)	IBM_TDB	
-	0	((,	USPAT;	2003/02/27
		435-442, 444.ccls.) and (rout\$4 near5 event\$1 near5 messag\$4)) and (rule\$1	US-PGPUB; EPO; JPO;	16:01
		near5 regist\$5)	DERWENT;	
			IBM TDB	
-	44	(358/400-405, 407-408, 425, 434, 435-442,	USPAT;	2003/02/27
1		444.ccls.) and (rout\$4 near5 event\$1	US-PGPUB;	16:02
		near5 messag\$4)	EPO; JPO;	
			DERWENT;	
1_	2716	358/400-405 358/407,409 358/405	IBM_TDB	2002/02/27
_	2746	358/400-405, 358/407-408, 358/425, 358/434, 358/435-442, 358/444.ccls.	USPAT; US-PGPUB;	2003/02/27 16:02
		300, 101, 300, 100 112, 330, 111.0013.	EPO; JPO;	10.02
			DERWENT;	
	ļ		IBM_TDB	
-	4	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/02/27
1		358/434, 358/435-442, 358/444.ccls.) and	US-PGPUB;	16:04
		(rout\$4 near5 event\$1 near5 messag\$4)	EPO; JPO;	
			DERWENT;	
	L		IBM TDB	

-	91	(358/400-405, 358/407-408, 358/425,	USPAT;	2003/02/27
	ľ	358/434, 358/435-442, 358/444.ccls.) and	US-PGPUB;	16:05
		(rout\$4 near5 messag\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	}
-	1	((358/400-405, 358/407-408, 358/425,	USPAT;	2003/02/27
		358/434, 358/435-442, 358/444.ccls.) and	US-PGPUB;	16:07
		(rout\$4 near5 messag\$4)) and (forward\$4	EPO; JPO;	
	ļ	near5 event\$1)	DERWENT;	
			IBM_TDB	
-	33		USPAT;	2003/02/27
		358/434, 358/435-442, 358/444.ccls.) and	US-PGPUB;	16:07
		(rout\$4 near5 messag\$4)) and (forward\$4	EPO; JPO;	
		near5 messag\$4)	DERWENT;	
l	1		IBM TDB	